

Revision date 25-Nov-2019

Supersedes Date: 25-Nov-2019

**BOSTIK FILL A GAP FLEX A330** 

**Revision Number** 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

**BOSTIK FILL A GAP FLEX A330 Product Name** 

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.

Uses advised against No information available.

1.3. Details of the supplier of the safety data sheet

**Company Name** 

Bostik (Shanghai) Management Co., Ltd

**Building 1, No.968 Guanghua Road, Minhang District** 

Shanghai, China Tel: 021-60763101

Fax: 021-60763133

Manufacturer

Bostik Findley (Malaysia) Sdn. Bhd

Lot 112 & 113,

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia

Tel: 606-6789788 Fax: 606-6789766

See section 16 for more information.

1.4. Emergency telephone number

**Emergency Telephone** 0532-8388 9090 (China only)

E-mail address SDS.AP@Bostik.com

### Section 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

#### 2.2. Label Elements

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

Signal word None

#### Prevention

P264 - Wash hands thoroughly after handling

P281 - Use personal protective equipment as required

### Response

P314 - Get medical advice/attention if you feel unwell

P303 + P361 + P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

#### **Eyes**

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/containers in accordance with local regulations

Revision date 25-Nov-2019

**BOSTIK FILL A GAP FLEX A330** 

Revision Number 1 Supersedes Date: No information available

2.3. Other Hazards

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable

3.2 Mixtures

Not a hazardous substance or mixture according to the Globally Harmonized System (GHS)

# Section 4: FIRST AID MEASURES

#### 4.1. Description of first aid measures

**General advice** No special measures are necessary.

**Inhalation** Not an expected route of exposure.

**Skin contact** No special measures are necessary.

**Eye contact** Flush eye with water for 15 minutes. Get medical attention if symptoms occur.

**Ingestion** Do NOT induce vomiting. Get medical attention if symptoms occur.

**Self-protection of the first aider** First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians None.

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

# **Section 5: FIRE-FIGHTING MEASURES**

5.1. Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2). Extinguishing powder. Water spray or fog. Alcohol resistant foam.

**Unsuitable extinguishing media** No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Thermal decomposition can lead to release of toxic/corrosive gases and vapors. Carbon monoxide. Carbon dioxide (CO2).

5.3. Advice for firefighters

Special protective equipment for

fire-fighters

In case of fire: Wear self-contained breathing apparatus. Do not allow run-off from

fire-fighting to enter drains or water courses.

### Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

<sup>\*\*\*</sup> Any remaining ingredients are not hazardous

**BOSTIK FILL A GAP FLEX A330** 

Revision Number 1 Supersedes Date: No information available

Personal precautions No special measures are necessary. Prevent skin contact.

Other information Non-hazardous.

6.2. Environmental precautions

Environmental precautions No special environmental measures are necessary. See Section 12 for additional

Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Take up mechanically, placing in appropriate containers for disposal. Treat the

recovered material as prescribed in the section on waste disposal.

**Methods for cleaning up**Take up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 7: HANDLING AND STORAGE

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

### Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling No special precautions are needed in handling this material. Fire prevention measures.

7.2. Conditions for safe storage, including any incompatibilities

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink

or smoke when using this product. Wash hands thoroughly after handling. Avoid contact

Revision date 25-Nov-2019

with skin, eyes or clothing.

Storage Conditions None. Recommended storage temperature. 20 °C.

Incompatible materials None known

7.3. Specific end use(s)

Specific Use(s) Sealant. Adhesives.

Other information No information available.

7.4. References to Other Sections

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS

Section 10: STABILITY AND REACTIVITY

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

Exposure Limits This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available

(PNEC)

**BOSTIK FILL A GAP FLEX A330** 

**Revision Number** 1 Supersedes Date: No information available

No information available OTHER INFORMATION

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. **Engineering controls** 

**PPE - Personal Protection Equipment** 

Respiratory protection

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin and body protection Wear suitable protective clothing. No special technical protective measures are

necessary under normal conditions.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only Hand protection

depend on the material, but also on further marks of quality and various manufacturers. No protective equipment is needed under normal use conditions. Respiratory protection

Revision date 25-Nov-2019

required in insufficiently ventilated working areas and during spraying. An air-fed mask, or for short periods of work, a combination of professional filter is recommended.

General hygiene considerations Do not eat, drink or smoke when using this product. Wash hands thoroughly after

handling. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and

wash before reuse.

**Environmental exposure controls** Do not allow uncontrolled discharge of product into the environment.

### Section 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1. Information on basic physical and chemical properties

**Appearance** Color White Rubber-like Odor

**Odor threshold** No information available

Remarks • Method **Property Values** 

Not applicable . рΗ 8 - 9 pH (as aqueous solution) Melting point / freezing point No data available

No data available Boiling point / boiling range Flash point No data available **Evaporation rate** No data available Flammability (solid, gas) No data available

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available Vapor density No data available Relative density No data available Water solubility No data available No data available Solubility(ies) **Partition coefficient** No data available **Autoignition temperature** No data available **Decomposition temperature** No data available Kinematic viscosity No data available **Dynamic viscosity** No data available **Explosive properties** 

No information available No information available **Oxidizing properties** 

9.2. Other information

No information available **Softening Point** No information available Molecular weight Solvent content (%) No information available

Solid content (%)

Density No information available

**Bulk density** No information available No information available **VOC Content (%)** 

Page 4/8

Revision date 25-Nov-2019

**BOSTIK FILL A GAP FLEX A330** 

Revision Number 1 Supersedes Date: No information available

# Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

**Reactivity** None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None known.

**Hazardous polymerization** None under normal processing.

10.4. Conditions to avoid

Conditions to avoid None known if handled according to instructions.

10.5. Incompatible materials

Incompatible materials None known.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

# Section 11: TOXICOLOGY INFORMATION

#### 11.1. Information on toxicological effects

**Acute Toxicity** 

Product Information Product does not present an acute toxicity hazard based on known or supplied

information.

InhalationNo data available.Eye contactNo data available.Skin contactNo data available.IngestionNo data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation None known.
Serious eye damage/eye irritation None known.
Sensitization None known.

Germ cell mutagenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No information available.
No information available.
No information available.

**Target organ effects** Eyes, Gastrointestinal tract (GI), retina, Skin.

Aspiration hazard Not applicable.

**Carcinogenicity** No information available.

# Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Revision date 25-Nov-2019

**BOSTIK FILL A GAP FLEX A330** 

Revision Number 1 Supersedes Date: No information available

**Ecotoxicity** 

#### **Product Information**

Toxic to aquatic life. Harmful to aquatic life with long lasting effects.

#### **Component Information**

Data obtained on the component(s) include

#### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

#### 12.6. Other adverse effects

No information available.

**Endocrine Disruptor** 

Information

# Section 13: DISPOSAL CONSIDERATIONS

#### 13.1. Waste treatment methods

Waste from residues/unused products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Handle contaminated packages in the same way as the product itself.

# Section 14: TRANSPORT INFORMATION

IMDG Not regulated

IATA Not regulated

ADR Not regulated

# Section 15: REGULATORY INFORMATION

X - Present

# **National Regulations**

#### China

Not applicable

**BOSTIK FILL A GAP FLEX A330** 

**Revision Number** 1 Supersedes Date: No information available

#### <u>Japan</u>

Not applicable

#### Korea

#### **Chemicals Control Act (CCA)**

This product does not contain phase-in substances subject to registration, toxic substances, substances subject to authorization, restricted substances, prohibited substances, substances requiring preparation for accidents regulated under the Chemicals Control Law

#### **Industrial Safety and Health Law**

Not applicable

#### **Safety Control of Dangerous Substances Act**

Not applicable

#### Korea - MOE - Waste Control Act - Hazardous Substances in Controlled Waste

Not applicable

### International Regulations

#### **Europe**

# Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

#### **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 16: OTHER INFORMATION

#### **Local Contacts**

Bostik Korea, Ltd. Bostik-Nitta Co., Ltd Bostik India Private Ltd 6F, 21 2-22.Futamata 124/1 & 124/2A Gukhoe-daero 62-gil Yeongdeungpo-gu Yao-City, Osaka, 581-0024 Kachanayakanahalli

Japan Seoul, 07236

Behind Bommasandra Indl.Area Off Hosur Road, Hennagara Post, Korea Tel: +81-72-948-8272

Tel: +82-02-3703-6870 Fax: +81-72-948-5988 Anekal Taluk Bangalore - 562106, Karnataka, Fax: +82-02-3703-6850

**INDIA** 

Tel: 0091-80-27833520 Fax: 00 91-80-27831324

Email: Bostikinfo.India@bostik.com

Bostik Findley (Malaysia) Sdn. Bhd

Lot 112 & 113,

Kawasan Perindustrian senawang, seremban, negeri sembilian, Malaysia

Tel: 606-6789788 Fax: 606-6789766 Bostik Findley (Malaysia) S/B (Singapore Branch) 2 Jurong East Street 21 #02-184 **IMM** Building Singapore 609601 Tel: 65-6863-4088

Bostik (Thailand) Co., Ltd 1/32 Bang-na Thani Tower 16th A Foolr. Soi Bangna-Trad 34, Bangna-Trad rd. Bang-na, Bangkok Tel: 02-361 6460-7 Fax: 02-361 6469

Revision date 25-Nov-2019

Fax: 65-6863-4077

**BOSTIK FILL A GAP FLEX A330** 

**Revision Number** 1 Supersedes Date: No information available

Bostik Phillippines, Inc. 35/F Raffles Corporate Center.

F. Ortigas Jr. Road Ortigas Business Center, Pasig city, Phillippines Tel: 632-900-5656 Fax: 632-900-5622

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333 Fax: 613 9279-9342

ABN: 79 003 893 838 Bostik New Zealand Limited 19 Eastern Hutt Road Wingate, Lower Hutt, New Zealand

Tel: 04-567 5119 Fax: 04-567 5412

Bostik Indonesia Setiabudi Atrium Building. Level 2, Suite 203 A Jl. HR Rasuna Said Jakarta Indonesia 12920 Tel: 62 21 521 0404 Fax: 62 21 521 0554

Jiangsu Bositk Adhesive Co.,Ltd No.15-9, Xinggang Road, Changshu **Enconomic Development Zone** Jiangsu Province 215536

Tel: 0086-512-52266000 Fax: 0086-512-52266020 Bostik Vietnam Company Limited

Revision date 25-Nov-2019

10 Doc Lap Avenue. VSIP 1. Thuan An District, BinhDuong Province. Viet Nam.

Tel: 84 650 3765105 Fax: 84 650 3765109

Bostik Findley (China) Co.,Ltd No.75, Xin Zhuang 2 Road, Yong He

District, GETDD

Guangzhou, 511356, China

TEL: 020 -32226211 FAX: 020 -32226261

Chronic Hazard Star Legend \* = Chronic Health Hazard

# Key or legend to abbreviations and acronyms used in the safety data sheet

TWA (time-weighted average) STEL (Short Term Exposure Limit) LD50 (lethal dose) EC50 (effective concentration)

#### **Key Literature References and Sources for Data**

No information available

Product Safety & Regulatory Affairs **Prepared By** 

**Revision date** 25-Nov-2019

Revision note Not applicable.

**Training Advice** No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**